



SECTION
M-014 SCALE B


NOTES


- COORDINATE GRID IS UTM NAD83, ALASKA STATE PLANES; ZONE 5.
- 2. CONTOUR INTERVAL IS 25 FEET.
- 3. DIMENSIONS AND ELEVATIONS ARE IN FEET, UNLESS NOTED OTHERWISE.




PEBBLE PROJECT APPLICANT: PEBBLE LIMITED PARTNERSHIP		DRAWING TITLE: TAILINGS STORAGE FACILITY LAYDOWN PLAN AND SECTIONS	
LAT., LONG. OF MINE 59°53'51.29"N 155°18'2.83"W	PROPOSED ACTIVITY: MINERAL DEVELOPMENT		
WATERWAY: KOKTULI RIVER	POA-2017-271	DATE: JUNE 2020	FIGURE NO. MX-008











TYPICAL CROSS SECTION FOR HAUL ROADS



TYPICAL CROSS SECTION FOR SERVICE ROADS (WITH PIPELINES)



TYPICAL CROSS SECTION FOR ACCESS ROADS

NOTES:

- DIMENSIONS AND ELEVATIONS ARE IN FEET, UNLESS NOTED OTHERWISE.
- 2 PEPM AND DITCH SIZING TO BE BASED ON POAD TPAFFIC PEQUIPEMENTS

PEBBLE PROJECT

APPLICANT: PEBBLE LIMITED PARTNERSHIP

LAT., LONG. OF MINE
59°53'51.29"N 155°18'2.83"W MINERAL DEVELOPMENT

WATERWAY:
KOKTULI RIVER

POA-2017-271

DRAWING TITLE:

HAUL, SERVICE, AND ACCESS
ROADS TYPICAL SECTIONS

FILE NO.
POA-2017-271

DATE:
JUNE 2020

MX-012

